



MATERIAL SAFETY DATA SHEET

Olin MSDS No.: 00070.0001 Revision Date: 1/1/11
Revision No.: 13 Supercedes: 1/1/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: SHOTSHELL PRIMED SHELLCASE
Chemical Name: Mixture
Synonyms: Plastic tube - 8 Gauge, 12 Gauge, 16 Gauge, 20 Gauge, 28 Gauge, 10 Gauge, 410 Gauge
Chemical Family: Mixture
Formula: Not applicable - mixture
Product Use/ Description: Empty primed paper shotshell; Empty primed plastic shotshell

COMPANY ADDRESS MSDS Control Group Olin Corporation - Winchester Division, Inc. 600 Powder Mill Road East Alton, IL 62024 www.winchester.com
TECHNICAL INFORMATION: 618-258-3507
EMERGENCY TELEPHONE NUMBER: 618-258-2111

2. COMPOSITION / INFORMATION ON INGREDIENTS

Table with 6 columns: CAS Number, Components, % By Weight, EINECS/ ELINCS #, EU Classification Symbol, EU Classification R-Phrase. Rows include Copper, Zinc, Paper, Wax, Soya protein, Polyethylene, Iron, and Normal Lead styphnate.

OSHA REGULATORY STATUS: Explosive

3. HAZARDS IDENTIFICATION

CAUTION!
EXPLOSIVE. KEEP AWAY FROM HEAT. DO NOT SUBJECT TO MECHANICAL SHOCK. PARTICLES FROM FIRING MAY BE HARMFUL IF INHALED. DO NOT TAKE INTERNALLY.

HAZARD RATINGS (for dust or fume) Degree of hazard (0 = low, 4 = extreme)
Hazardous Materials Identification System (HMIS) Health: 0 Flammability: 0 Physical Hazard: Explosive: 2
National Fire Protection Association (NFPA) Mixture. Not rated.

HUMAN THRESHOLD RESPONSE DATA

Odor Threshold: Unknown
Irritation Threshold: Unknown
Immediately Dangerous to Life or Health (IDLH) Value(s): The IDLH for this product is not known. The IDLH for copper and lead is 100 mg/m3.

**POTENTIAL HEALTH EFFECTS**

This product is composed of a capsule which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur.

When the product is fired, a small amount of particles may be generated which may be slightly irritating to the eyes and the respiratory tract. The particles may contain trace amounts of these harmful substances:

Copper: Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea, vomiting and stomach pain.

Lead: Ingestion of large amounts of lead can cause abdominal pain, constipation, cramps, nausea and/or vomiting. Chronic exposure to lead can cause kidney damage, anemia, reproductive effects, developmental effects and permanent nervous system damage in humans including changes in cognitive function.

It is unlikely that the amount of particles that someone would be exposed to from firing would be sufficient to cause any of these effects.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** There are no medical conditions known to be aggravated by exposure to this product in its solid form. Exposure to lead can aggravate anemia, cardiovascular and respiratory disease.

**POTENTIAL ENVIRONMENTAL EFFECTS:** Product has not been tested for environmental properties. Lead has been shown to be toxic to aquatic species.

**4. FIRST AID MEASURES**

- EYE CONTACT:** Immediately flush out fume or particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.
- SKIN CONTACT:** Wash skin with plenty of soap and water.
- INHALATION:** If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical attention.
- INGESTION:** If ingested, immediately call a physician.

**5. FIRE FIGHTING MEASURES**

PROPERTY	VALUE	PROPERTY	VALUE
Explosive	Yes	Flammable	Not applicable
Combustible	Not applicable	Pyrophoric	No
Flash Point (°C):	Not applicable	Burning Rate of Material:	Not applicable
Lower Explosive Limit:	Not applicable	Autoignition Temp.:	No data
Upper Explosive Limit:	Not applicable	Flammability Classification: (defined by 29 CFR 1910.1200)	Explosive

- UNUSUAL FIRE AND EXPLOSION HAZARDS:** If fire reaches cargo, do not fight. Evacuate all person, including emergency responders from the area for 1500 feet (1/3 mile) in all directions.
- EXTINGUISHING MEDIA:** Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.
- SPECIAL FIREFIGHTING PROCEDURES:** In case of fire, use normal fire fighting equipment. Protection concerns must also address the potential of the physical characteristic of this product as explosive.

**6. ACCIDENTAL RELEASE MEASURES**

**FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300.**

Spills of this material should be handled carefully. Do not subject materials to mechanical shock. A spill of this material will normally not require emergency response team capabilities. If, however, a large spill occurs, call 1-888-289-1911 for technical assistance.

**7. HANDLING AND STORAGE**

- HANDLING: No special requirements
- STORAGE: Do not store at temperatures above: 60°C (140°F)
- Shelf Life Limitations:* Indefinite at 50-90°F and 35% relative humidity.
- Incompatible Materials for Packaging:* None known

*Incompatible Materials for Storage or Transport:* Acids, Class A & B explosives, strong oxidizers, and caustics  
**CONDITIONS TO AVOID:** Mechanical impact or shock and electrical discharge.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

CAS #	CHEMICAL NAME	ACGIH TLV	OSHA PEL	INTERNATIONAL OELS
7439-89-6	Iron	None established	None established	None established
7440-50-8	Copper	0.2 mg/m <sup>3</sup> (fume), 1 mg/m <sup>3</sup> (dusts and mists)	0.1 mg/m <sup>3</sup> (fume) 1 mg/m <sup>3</sup> (dusts and mists)	Austria, Belgium, Canada: 0.2 mg/m <sup>3</sup> (fumes), 1 mg/m <sup>3</sup> (dusts) Denmark: 1.0 mg/m <sup>3</sup> (dust and powder) Germany (MAK): 0.1 mg/m <sup>3</sup> (fume), 1 mg/m <sup>3</sup> (dusts and mists)
7440-66-6	Zinc	None established	None established	None established
64742-51-4	Wax	None established	None established	None established
68153-28-6	Soya protein	None established	None established	None established
9002-88-4	Polyethylene	None established	None established	None established
15245-44-0	Lead styphnate	None established	None established	None established

**ENGINEERING CONTROLS:** Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation. Use explosion-proof ventilation. Use hearing protection.

**EYE / FACE PROTECTION:** Use safety glasses.

**SKIN PROTECTION:** Not normally needed

**RESPIRATORY PROTECTION:** Respiratory protection not normally needed.

**GENERAL HYGIENE:** Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

PROPERTY	VALUE	PROPERTY	VALUE
<i>Appearance:</i>	Cylindrical plastic tube with brass head	<i>Vapor Density (air = 1):</i>	Not applicable
<i>Odor:</i>	None	<i>Boiling Point (°F):</i>	Not applicable
<i>Molecular Weight:</i>	Not applicable - Mixture	<i>Melting point:</i>	Not applicable
<i>Physical State:</i>	Solid	<i>Specific gravity (g/cc):</i>	Not applicable
<i>pH:</i>	Not applicable	<i>Bulk Density:</i>	Not applicable
<i>Vapor Pressure (mm Hg):</i>	Not applicable	<i>Viscosity (cps):</i>	Not applicable
<i>Vapor Density:</i>	Not applicable	<i>Decomposition Temperature:</i>	82°C (180°F)
<i>Solubility in Water (20 °C):</i>	Insoluble	<i>Evaporation Rate:</i>	Not applicable
<i>Volatiles, Percent by volume:</i>	Not applicable	<i>Octanol/water partition coefficient:</i>	Not applicable

**10. STABILITY AND REACTIVITY**

**STABILITY:** Will explode with mechanical impact or shock

**MATERIALS TO AVOID:** Acids, Class A & B explosives, strong oxidizers, and caustics

**HAZARDOUS DECOMPOSITION PRODUCTS:** Nitrogen oxides, carbon monoxide, lead oxides, carbon dioxide, lead dust/fume

**HAZARDOUS POLYMERIZATION:** Will not occur.

**OTHER:** Decomposition temperature is 82°C (180°F).

**11. TOXICOLOGICAL INFORMATION**

**POTENTIAL EXPOSURE ROUTES:** The physical nature of this product makes absorption from any route unlikely. A small amount of inhalable particles may be created when projectile is fired.

**ACUTE ANIMAL TOXICITY DATA:**

For Product:		For Components						
		Copper	Iron	Lead styphnate	Polyethylene	Zinc	Wax	Soya Protein
Oral LD <sub>50</sub>	Not applicable for product	3.5 mg/kg (mouse, intraperitoneal)	30 g/kg (rat)	No data	>3 g/kg (rat)	No data	No data	No data
Dermal LD <sub>50</sub>	Not applicable for product	375 mg/kg (rabbit, subcutaneous)	No data	No data	No data	No data	No data	No data
Inhalation LC <sub>50</sub>	Not applicable for product. Particles generated from firing may be slightly toxic.	No data	No data	No data	No data	No data	No data	No data
Irritation	Not a skin or eye irritant as a loaded round.	Respiratory irritant	Eye irritant	No data	No data	Eye irritant	No data	No data

**SUBCHRONIC/ CHRONIC TOXICITY:**  
**CARCINOGENICITY:**

Lead has caused blood, kidney and nervous system damage in laboratory animals. The International Agency for Research on Cancer (IARC) lists lead as possibly carcinogenic to humans, group 2B.

**MUTAGENICITY:**

This product is not known or reported to be mutagenic. Lead has been shown to be mutagenic in several *in vitro* assays.

**REPRODUCTIVE, TERATOGENICITY, OR DEVELOPMENTAL EFFECTS:**

This product is not known or reported to cause reproductive or developmental effects. Lead has been shown to affect fetal development including birth defects and reduce male reproductive function in laboratory animals. Dibutyl phthalate has caused reproductive and developmental effects in animal studies.

**NEUROLOGICAL EFFECTS:**

This product is not known or reported to cause neurological effects. Lead has caused peripheral and central nervous system damage and behavioral effects in laboratory animals.

**INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:**

None known or reported.

**12. ECOLOGICAL INFORMATION**

**ECOTOXICITY:** No data is available on this product. Individual constituents are as follows:

**Copper:** The toxicity of copper to aquatic organisms varies significantly not only with the species, but also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentration varying from 0.1 to 1.0 mg/l have been found by various investigators to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to many kinds of fish, crustacea, mollusks, insects, and plankton.

**Lead:** LC 50 (48 hrs.) to bluegill (*Lepomis macrochirus*) is reported to be 2-5 mg/l. Lead is toxic to waterfowl.

**Zinc:** The following concentrations of zinc have been reported as lethal to fish:

- Rainbow trout fingerlings: 0.13 mg/l, 12 – 24 hours
- Bluegill sunfish: 6 hr TLM = 1.9 – 3.6 mg/l (soft water, 30°C)
- Rainbow trout: 4 mg/l (hard water) 3 days
- Sticklebacks: 1 mg/l (soft water) 24 hrs

The presence of copper appears to have a synergistic effect on the toxicity of zinc towards fish.

**MOBILITY:**

Dissolved lead from degraded bullets may migrate through soil.

**PERSISTANCE/DEGRADABILITY:** Not biodegradable. Bullets may fragment and decompose in soil leading to accumulation of lead.

**BIOACCUMULATION:**

No data

**13. DISPOSAL CONSIDERATIONS**

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

**14. TRANSPORT INFORMATION**

	U.S. DOT	RID/ADR	IMDG	IATA	IMO	Canada TDG
<b>PROPER SHIPPING NAME:</b>	Cases, Cartridge, Empty, With Primer					
<b>HAZARD CLASS:</b>	1.4 S					
<b>UN NO.:</b>	UN 0055					
<b>PACKING GROUP:</b>	II					
<b>HAZARD LABEL/PLACARD:</b>	1.4S/1.4 Placard over 1001 lbs. (454 kg)					
<b>REPORTABLE QUANTITY:</b>	Not applicable					
<b>SPECIAL COMMENTS:</b>	Not regulated for U.S. domestic transport					

**15. REGULATORY INFORMATION**

*US FEDERAL*

TSCA	The components of this product are listed on the Toxic Substance Control Act inventory.				
CERCLA:	Copper, R.Q.= 5000 lbs.; Zinc, R.Q. = 1000 lbs. (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches).				
SARA 313:	Copper, Zinc (fume or dust), Lead and lead compounds				
SARA 313 Hazard Class:	<u>Health:</u>	Acute – No Chronic - No	<u>Fire:</u> No	<u>Reactivity:</u> None	<u>Release of Pressure:</u> Yes
SARA 302 EHS List:	None of the components of this product are listed.				

RQ = Reportable Quantity

*STATE RIGHT-TO-KNOW STATUS*

Component	*CA Prop. 65	New Jersey	Pennsylvania	Massachusetts	Michigan
Copper	Not listed	X	X	X	X
Zinc	Not listed	X	Not listed	X	X
Iron	Not listed	Not listed	Not listed	Not listed	Not listed
Wax	Not listed	Not listed	Not listed	Not listed	Not listed
Soya protein	Not listed	Not listed	Not listed	Not listed	Not listed
Polyethylene	Not listed	Not listed	Not listed	Not listed	Not listed
Lead styphnate	X	Not listed	Not listed	X	Not listed

\* "WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

*EUROPEAN REGULATIONS*

Hazard Classification

Danger Symbol: E Explosive

Risk Phrases: R2 Risk of explosion by shock, friction, fire or other sources of ignition

Safety Phrases: S2 Keep out of reach of children.

German WGK Classification: Not known

*CANADIAN REGULATIONS*

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances Notification Regulations.

IDL: Copper

WHMIS: This product is not subject to WHMIS. It is regulated as a Class 6 Explosive in Canada.

**16. OTHER INFORMATION**

REVISIONS: New International format, toxicology review – 1/1/03; 7/1/09 – updated Emergency Contact Number and address; 1/1/11 - review

*PREPARED BY:* Olin Corporation

*OTHER:* Additional information available from: [www.winchester.com](http://www.winchester.com)

*NOTICE:* THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.