

MATERIAL SAFETY DATA SHEET

Olin MSDS No.: 00066.0001 Revision No.: 11 Revision Date: 1/1/11 Supercedes: 1/1/10

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Name: | FRANGIBLE BULLETS - Sinterfire |
|---------------------------|----------------------------------|
| Chemical Name: | Mixture – Metal Alloy |
| Synonyms: | Sinterfire |
| Chemical Family: | Metal mixture |
| Formula: | Not applicable - mixture |
| Product Use/ Description: | Centerfire Ammunition Projectile |
| | |

COMPANY ADDRESS

MSDS Control Group Olin Corporation Winchester Division, Inc. 600 Powder Mill Road East Alton, IL 62024 www.winchester.com TECHNICAL INFORMATION: 618-258-3507 EMERGENCY TELEPHONE NUMBER: 618-258-2111

2. COMPOSITION / INFORMATION ON INGREDIENTS

| CAS Number | Components | % By Weight | EINECS/ ELINCS # | EU Clas | ssification |
|------------|------------|-------------|------------------|---------|-------------|
| | | | | Symbol | R-Phrase |
| 7440-31-5 | Tin | 10 | 231-141-8 | None | None |
| 7440-50-8 | Copper | 90 | 231-159-6 | None | None |

*This material is not listed in Annex 1 of Directive 88/379/EEC. Olin has classified the material according to the conventional method based upon information from similar materials.

OSHA REGULATORY STATUS: Dust or fume is an irritant

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

3. HAZARDS IDENTIFICATION

| WARNING! PARTICLES FROM FIRING MAY BE HARMFUL IF INHALED. DO NOT TAKE INTERNALLY. | | | | | |
|---|----------------|--|------------------------------------|----------------------------|--|
| HAZARD RATINGS (for dust or fume) Hazardous Materials Identification System (HMIS) for dust or fume: | Degre Healt | ee of hazard (0 = lov h: 0* | v, 4 = extreme) Flammability: 0 | Physical Hazard: None | |
| National Fire Protection Association (NFPA) | Mixtu | re. Not rated. | | | |
| HUMAN THRESHOLD RESPONSE DATA <u>Odor Threshold:</u> Irritation Threshold: Immediately Dangerous to Life or Health (IDLH) Valu | <u>e(s):</u> | Unknown Unknown The IDLH for this mg/m ³ . | product is not known. | The IDLH for copper is 100 | |
| POTENTIAL HEALTH EFFECTS | | | | | |

This product is composed of a finished metal alloy solid. Therefore, under normal handling of this product, no exposure to any harmful materials will occur.

When the product is fired, a small amount of particles may be generated which may be slightly irritating to the eyes and the respiratory tract. The particles may contain trace amounts of these harmful substances:



<u>Copper:</u> Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea, vomiting and stomach pain.

t is unlikely that the amount of particles that someone would be exposed to from firing would be sufficient to cause any of these effects.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: There are no medical conditions known to be aggravated by exposure to this product in its solid form.

POTENTIAL ENVIRONMENTAL EFFECTS: Product has not been tested for environmental properties.

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush out fume or particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

SKIN CONTACT:Wash skin with plenty of soap and water.INHALATION:If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to
fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at
rest. Get medical attention.

INGESTION: If ingested, immediately call a physician.

5. FIRE FIGHTING MEASURES

| PROPERTY | VALUE | PROPERTY | VALUE |
|------------------------|----------------|--|----------------|
| Explosive | No | Flammable | No |
| Combustible | No | Pyrophoric | No |
| Flash Point (°C): | Not applicable | Burning Rate of Material: | Not applicable |
| Lower Explosive Limit: | Not applicable | Autoignition Temp.: | No data |
| Upper Explosive Limit: | Not applicable | Flammability Classification: (defined by 29 CFR 1910.1200) | Not applicable |

UNUSUAL FIRE AND EXPLOSION HAZARDS: EXTINGUISHING MEDIA: SPECIAL FIREFIGHTING PROCEDURES:

Not Applicable - Choose extinguishing media suitable for surrounding materials. In case of fire, use normal fire fighting equipment. Response to this material requires the use of a self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300.

None

This material is heavier than and insoluble in water. Do not place spill materials back in their original containers. Containerize and label all spill materials properly. Decontaminate all clothing and the spill area using soap solution and flush with large amounts of water. Use clean shovel or broom to pick up and place in clean container for disposal.

7. HANDLING AND STORAGE

 HANDLING:
 No speci

 STORAGE:
 No speci

 Shelf Life Limitations:
 Not know

 Incompatible Materials for Packaging:
 None know

 Incompatible Materials for Storage or Transport:
 Acids and

 CONDITIONS TO AVOID:
 None know

No special requirements No special requirements Not known None known Acids and caustics None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS # | CHEMICAL NAME | ACGIH TLV | OSHA PEL | INTERNATIONAL OELS |
|-----------|------------------|---|--|--|
| 7440-50-8 | Copper | 0.2 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) | 0.1 mg/m ³ (fume) 1 mg/m ³ (dusts and mists) | Austria, Belgium, Canada: 0.2 mg/m ³ (fumes), 1 mg/m ³ (dusts) Denmark: 1.0 mg/m ³ (dust and powder) Germany (MAK): 0.1 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) |



| 7440-31-5 Tin | 2 mg/m ³ | 2 mg/m ³ | U.K. (LTEL): 5 mg/m ³ Austria & Germany (MAK), Belgium, Finland, Denmark, The Netherlands, Poland, Switzerland: 2 mg/m ³ Hungary, Norway: 1 mg/m ³ |
|---------------|---------------------|---------------------|---|
|---------------|---------------------|---------------------|---|

ENGINEERING CONTROLS:Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated.
Otherwise, use general exhaust ventilation. Use hearing protection.EYE / FACE PROTECTION:Not normally needed.SKIN PROTECTION:Not normally neededRESPIRATORY PROTECTION:Respiratory protection not normally needed.GENERAL HYGIENE:Wash hands thoroughly after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

| PROPERTY | VALUE | PROPERTY | VALUE |
|-------------------------------|--|--------------------------------------|----------------|
| Appearance: | Cylindrical projectile – silver colored if nickel plated, copper colored if copper plated, gray if not plated | Vapor Density (air = 1): | Not applicable |
| Odor: | None | Boiling Point (°F): | Not applicable |
| Molecular Weight: | Not applicable - Mixture | Melting point: | Not applicable |
| Physical State: | Solid | Specific gravity (g/cc): | Not applicable |
| pH: | Not applicable | Bulk Density | Not applicable |
| Vapor Pressure (mm Hg): | Not applicable | Viscosity (cps): | Not applicable |
| Vapor Density | Not applicable | Decomposition Temperature: | Not applicable |
| Solubility in Water (20 °C): | Insoluble | Evaporation Rate: | Not applicable |
| Volatiles, Percent by volume: | Not applicable | Octanol/water partition coefficient: | Not applicable |

10. STABILITY AND REACTIVITY

| STABILITY: |
|-----------------------------------|
| MATERIALS TO AVOID: |
| HAZARDOUS DECOMPOSITION PRODUCTS: |
| HAZARDOUS POLYMERIZATION: |
| OTHER: |

Stable under normal temperatures and pressure. Acids and caustics Metals may liberate hydrogen gas from reaction with acids. Metal oxides Will not occur. None

11. TOXICOLOGICAL INFORMATION

POTENTIAL EXPOSURE ROUTES: The physical nature of this product makes absorption from any route unlikely. A small amount of inhalable particles may be created when projectile is fired.

ACUTE ANIMAL TOXICITY DATA:

| For Produ | <u>ct:</u> | For Components | | |
|---------------------------------|--|---------------------------------------|---------|--|
| | | Copper | Tin | |
| Oral LD ₅₀ | Not applicable for product | 3.5 mg/kg (mouse, intraperitoneal) | No data | |
| Dermal LD ₅₀ | Not applicable for product | 375 mg/kg (rabbit, subcutaneous) | No data | |
| Inhalatio n LC ₅₀ | Not applicable for product. Particles generated from firing may be slightly toxic. | No data | No data | |
| Irritation | Not a skin or eye irritant as a loaded round. | Respiratory irritant | No data | |

SUBCHRONIC/ CHRONIC TOXICITY: CARCINOGENICITY:

None known or reported. This product or its components are not classified as carcinogenic by IARC, NTP, OSHA, ACGIH, or EPA. This product is not known or reported to be mutagenic. This product is not known or reported to cause reproductive or developmental effects. This product is not known or reported to cause neurological effects

<u>MUTAGENICITY:</u> <u>REPRODUCTIVE, TERATOGENICITY, OR</u> <u>DEVELOPMENTAL EFFECTS:</u> NEUROLOGICAL EFFECTS:



INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:

None known or reported.

ECOLOGICAL INFORMATION 12.

ECOTOXICITY:

MOBILITY:

Copper: The toxicity of copper to aquatic organisms varies significantly not only with the species, but also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentration varying from 0.1 to 1.0 mg/l have been found by various investigators to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to many kinds of fish, crustacea, mollusks, insects, and plankton. No data

PERSISTANCE/DEGRADABILITY: Not biodegradable.

BIOACCUMULATION: No data

13. DISPOSAL CONSIDERATIONS

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

14. TRANSPORT INFORMATION

| | U.S. DOT | RID/ADR | IMDG | ΙΑΤΑ | IMO | Canada TDG |
|-----------------------|----------|---------|---------|---------|-----|------------|
| PROPER SHIPPING NAME: | | | Not reg | gulated | | |
| HAZARD CLASS: | | | | | | |
| UN NO.: | | | | | | |
| PACKING GROUP: | | | | | | |
| HAZARD LABEL/PLACARD: | | | | | | |
| | | | | | | |
| REPORTABLE QUANTITY: | | | | | | |
| SPECIAL COMMENTS: | | | | | | |

15. **REGULATORY INFORMATION**

US FEDERAL

| TSCA | The components of this | The components of this product are listed on the Toxic Substance Control Act inventory. | | | | | | |
|---------------------------------------|------------------------|---|------------------|-----------------------|-------------------------|--|--|--|
| | Copper, R.Q.= 5000 lb: | s.No reporting is | required if dian | neter of the pieces o | of metal is equal to or | | | |
| | exceeds 100 micromet | exceeds 100 micrometers (0.004 inches). | | | | | | |
| SARA 313: | Copper | Copper | | | | | | |
| SARA 313 Hazard Class: | <u>Health</u> : | Health: Acute – No Fire: No Reactivity: None Release of Pressure: Yes | | | | | | |
| | | Chronic - No | | | | | | |
| SARA 302 EHS List: | None of the component | None of the components of this product are listed. | | | | | | |
| [*] RO – Reportable Quantity | | | | | | | | |

RQ = Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

| Component | CA Prop. 65 | New Jersey | Pennsylvania | Massachusetts | Michigan |
|-----------|-------------|------------|--------------|---------------|------------|
| Copper | Not listed | Х | Х | Х | Х |
| Tin | Not listed | Not listed | Х | Х | Not listed |

* "WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

This material in its solid form is not required to be labeled under EC regulations.

German WGK Classification: Not known

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances Notification Regulations.



IDL: Copper, Tin

WHMIS: This product is not subject to WHMIS. It is considered to be a manufactured article.

16. OTHER INFORMATION

REVISIONS: 7/1/09 – changed emergency contract number and mailing address; 1/1/11 - review

PREPARED BY: Olin Corporation

OTHER: Additional information available from: www.winchester.com

<u>NOTICE:</u> THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.